

BARASTOC

POULTRY RANGE

For further information visit
www.ridleyagriproducts.com.au
or phone Ridley Sales & Support on
1300 666 657.



The information contained in this brochure is indicative only. It is not designed to provide detailed advice for all circumstances. If there is any uncertainty relating to feeding, seek advice from Ridley Sales & Support on 1300 666 657. To the maximum extent permitted by law, Ridley AgriProducts shall not be held liable for any losses resulting from the use or misuse of information contained in this brochure.



Manufactured and distributed by Ridley AgriProducts, ABN 94 006 544 145.
70-80 Bald Hill Road, Pakenham, Victoria, 3810, AUSTRALIA.
©Registered Trademark of Ridley AgriProducts.

Barastoc poultry feeds – a proud history

Barastoc boasts a proud history of supplying a wide variety of nutritionally balanced, quality poultry feeds. Our customers range from the smallest home flock to the largest poultry producers both in Australia and the South Pacific. As a business, Barastoc has grown up with an Australian poultry industry that now boasts production systems among the world's best. Meanwhile, Barastoc is a household brand for home flock owners and bird fanciers – poultry's contribution to the great Aussie backyard dream.

FEEDING PROGRAMMES

The Poultry Book describes each product in the Barastoc poultry range and also places them within feeding programmes to make it easier for you to feed your birds throughout the different stages of life.

TECHNICAL EXCELLENCE

To design diets and feeding programmes fit for purpose, Barastoc's team of nutritionists stay in constant contact with industry researchers, both locally and internationally. Innovation is key to our success. Co-ordination between our technical, purchasing and manufacturing staff is essential to delivery of rations that perform consistently and as intended.

QUALITY ASSURANCE

A quality endorsed company (ISO9002, Standards Australia) products are manufactured according to strict specifications prescribed by qualified Animal Nutritionists. Protein content and a range of other quality indicators are regularly determined using accredited analytical laboratories.

Should you have any queries concerning the quality of any of our products, please forward a sample plus the appropriate invoice or label details (for batch identification) to one of our offices or Territory Managers

The Layer Range

Keeping backyard chooks is not a new thing, it dates back over 5,000 years. Today, people do it for many reasons, a regular supply of freshly laid eggs, for showing and selling or even as family pets. Keeping chooks can be a rewarding experience for the whole family.

At Barastoc, we've been supplying proven and trusted quality feed to the poultry market for over 30 years. We continue to cater for the changing needs of poultry enthusiasts, developing feeds that are ideally suited to them.

As the country's leading supplier of poultry feed, we know how important the correct rearing and keeping of poultry is for their welfare, their health and the production of fresh eggs. For more information on the keeping of laying hens and replacement pullets in a home flock, see the Barastoc Chook Book.

BARASTOC**PULLET STARTER****KEY FEATURES:**

- Complete and nutritionally balanced feed to support growth and health of young pullets.
- Suited to a wide range of layer-type breeds.
- Suited to chickens being reared to: lay eggs for the table, breed replacement pullets or be ornamental birds.
- Feed is pelletised and crumbled to a small size suitable for hatchlings.
- Contains anti-coccidial to aid in the prevention of caecal and intestinal coccidiosis.

COMPLETE FEED FOR:

- pullets from hatching to 8 weeks of age.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that pullets have access to clean, fresh water at all times.


Hatchlings can be encouraged to start eating feed by scattering feed on newspaper placed around feeders.

Care for young stock according to the instructions of your livestock supplier.

Refer to the Barastoc Chook Book for more information on rearing, feeding and keeping chickens.

ANALYSIS (AS-FED)

Crude Protein (minimum)	19.5%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6%
Salt (maximum added)	0.3%
Copper (added)	8.0mg/kg
Selenium (added)	0.1mg/kg
Calcium (minimum)	1%

**BARASTOC****PULLET GROWER****KEY FEATURES:**

- A complete and nutritionally balanced feed to support growth and health of young pullets.
- Suited to a wide range of layer-type breeds.
- Suited to chickens being reared to: lay eggs for the table, breed replacement pullets or be ornamental birds.
- Feed is pelletised and crumbled.
- Contains anti-coccidial to aid in the prevention of caecal and intestinal coccidiosis.

COMPLETE FEED FOR:

- pullets from 8 to 14 weeks of age.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.


Ensure that pullets have access to clean, fresh water at all times.

Care for growing stock according to the instructions of your livestock supplier.

Refer to the Barastoc Chook Book for more information on rearing, feeding and keeping chickens.

ANALYSIS (AS-FED)

Crude Protein (minimum)	15.5%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	8%
Salt (maximum added)	0.3%
Copper (added)	8.0mg/kg
Selenium (added)	0.1mg/kg
Calcium (minimum)	1%



BARASTOC**PULLET FINISHER****KEY FEATURES:**

- A complete and nutritionally balanced feed to support growth and health of young pullets.
- Suited to a wide range of layer-type breeds.
- Suited to chickens being reared to: lay eggs for the table, breed replacement pullets or be ornamental birds.
- Feed is pelletised and crumbled.

COMPLETE FEED FOR:

- pullets from 14 weeks of age to point of lay.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that pullets have access to clean, fresh water at all times.

Care for growing stock according to the instructions of your livestock supplier.

Refer to the Barastoc Chook Book for more information on rearing, feeding and keeping chickens.

ANALYSIS (AS-FED)

Crude Protein (minimum)	15.5%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	8%
Salt (maximum added)	0.3%
Copper (added)	8.0mg/kg
Selenium (added)	0.1mg/kg
Calcium (minimum)	1%

**BARASTOC****GOLDEN YOLK****KEY FEATURES:**

- A complete feed to support egg production and the health of laying hens.
- Formulated to provide balanced levels of protein, energy, vitamins and minerals, including calcium.
- Suited to a wide range of layer-type breeds.
- Feed is pelletised.

COMPLETE FEED FOR:

- laying hens in a home flock.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that Golden Yolk makes up the majority of the hens' total daily feed to ensure a balanced diet.


Other feeds such as green scraps, pasture and hay may be fed, but only in small amounts.

Ensure hens have access to clean, fresh water at all times.

Refer to the Barastoc Chook Book for more information on rearing, feeding and keeping chickens.

ANALYSIS (AS-FED)

Crude Protein (minimum)	15%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	10%
Salt (maximum added)	0.3%
Copper (added)	6.5mg/kg
Selenium (added)	0.1mg/kg
Calcium (minimum)	3.8%



BARASTOC**DARLING DOWNS LAYER****KEY FEATURES:**

- A complete feed to support egg production and health of laying hens.
- Formulated to provide balanced levels of protein, energy, vitamins and minerals, including calcium.
- Suited to a wide range of layer-type breeds.
- A blend of natural grains and seeds (whole and cracked).
- Includes a concentrate pellet containing vitamins and minerals.
- Ingredients are carefully selected from plant and vegetable sources and high quality vitamin and mineral supplements.

COMPLETE FEED:

- containing natural grains and seeds for laying hens in a home flock.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Appropriate feed consumption is 110 to 130 grams per bird each day for mature full size hens.


Ensure that Barastoc Darling Downs Layer makes up the majority of the hens' total daily feed to ensure a balanced diet.

Other feeds such as green scraps, pasture and hay may be fed, but only in small amounts.

Ensure hens have access to clean, fresh water at all times.

ANALYSIS (AS-FED)

Crude Protein (minimum)	15.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6.0%
Salt (added)	0.3%
Calcium (minimum)	3.2%
Copper (added)	8.0mg/kg
Selenium (added)	0.3mg/kg

**BARASTOC****TOP LAYER MASH****KEY FEATURES:**

- Complete and nutritionally balanced to support egg production and health of laying hens.
- Formulated to provide balanced levels of amino acids important for high levels of performance.
- Formulated to provide balanced levels of protein, energy, vitamins and minerals, including calcium.
- Suited to a wide range of layer-type breeds.
- A blend of crushed grains.

(NOTE: May not be available in all regions).

COMPLETE FEED FOR:

- laying hens in a commercial flock. Also suitable for a home flock where high performance is required.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Avoid overfeeding by ensuring adequate feeding space for all birds.

Appropriate feed consumption is 115 to 125 grams per bird each day for mature full size hens.


Green scraps, pasture and hay may be fed in small amounts.

Ensure hens have access to clean, fresh water at all times.

Refer to the Barastoc Chook Book for more information on feeding and keeping hens – contact Ridley Sales & Support on 1300 666 657 to obtain a copy.

ANALYSIS (AS-FED)

Crude Protein (minimum)	16.5%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6%
Salt (maximum added)	0.3%
Copper (added)	8.0mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	3.6%



BARASTOC**TOP LAYER CRUMBLE****KEY FEATURES:**

- Complete and nutritionally balanced to support egg production and health of laying hens.
- Formulated to provide balanced levels of amino acids important for high levels of performance.
- Formulated to provide balanced levels of protein, energy, vitamins and minerals, including calcium.
- Suited to a wide range of layer-type breeds.
- Feed is pelletised and crumbled to a suitable size.

COMPLETE FEED FOR:

- laying hens in a commercial flock. Also suitable for a home flock where high performance is required.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Avoid overfeeding by ensuring adequate feeding space for all birds.

Appropriate feed consumption is 115 to 125 grams per bird each day for mature full size hens.


Green scraps, pasture and hay may be fed in small amounts.

Ensure hens have access to clean, fresh water at all times.

Refer to the Barastoc Chook Book for more information on feeding and keeping hens – contact Ridley Sales & Support on 1300 666 657 to obtain a copy.

ANALYSIS (AS-FED)

Crude Protein (minimum)	16.5%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6%
Salt (maximum added)	0.3%
Copper (added)	8.0mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	3.6%

**BARASTOC****LAYER MASH****KEY FEATURES:**

- A complete feed to support egg production and health of laying hens.
- Formulated to provide balanced levels of protein, energy, vitamins and minerals, including calcium.
- Suited to a wide range of layer-type breeds.

COMPLETE FEED:

- containing whole and crushed grains, for laying hens in a home flock.

FEEDING DIRECTIONS

Ensure birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that Layer Mash makes up the majority of the hens' total daily feed to ensure a balanced diet.


Other feeds such as green scraps, pasture and hay may be fed, but only in small amounts.

Ensure hens have access to clean, fresh water at all times.

Refer to the Barastoc Chook Book for more information on rearing, feeding and keeping chickens.

ANALYSIS (AS-FED)

Crude Protein (minimum)	15%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6.0%
Salt (maximum added)	0.3%
Copper (added)	4.0mg/kg
Selenium (added)	0.15mg/kg
Calcium (minimum)	3.5%



BARASTOC

POULTRY GRAIN MIX



KEY FEATURES:

- Designed to supplement the diets of laying hens and other classes of poultry.
- Supplies the base energy and protein requirements of laying hens and other classes of poultry.
- Suited to a wide range of breeds of laying hens and other poultry kept in a home flock.
- A blend of natural grains and seeds (whole and cracked).

SUPPLEMENTARY FEED:

- containing natural grains and seeds for laying hens and other poultry in a home flock.

FEEDING DIRECTIONS

Feed as a supplement to the birds' diet.



If feeding to laying hens provide continuous access to calcium chips or shellgrit.

For improved performance from your hens or birds, use a complete feed from the Barastoc product range.

Ensure hens or birds have access to clean, fresh water at all times.

ANALYSIS (AS-FED)

Crude Protein (minimum)	10.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6.0%
Salt (maximum)	0.3%
Calcium (minimum)	2.5%
Copper (added)	NIL
Selenium (added)	NIL



GROWING PULLETS

PULLET STARTER



PULLET GROWER



PULLET FINISHER



LAYING HENS

GOLDENYOLK
Layer Pellets. Complete feed for laying hens in a home flock.

DARLING DOWNS LAYER
Complete feed containing natural grains and seeds, for laying hens in a home flock.

TOP LAYER
Complete feed for laying hens in a commercial flock. Also suitable for a home flock where higher performance is required.

LAYER MASH
Complete feed containing whole and crushed grains, for laying hens in a home flock.

POULTRY GRAIN MIX
Supplementary feed containing natural grains and seeds, for laying hens and other poultry in a home flock.

HATCHING 2 4 6 8 10 12 14 16 18 POINT OF LAY
WEEKS

The Meat, Game and Ornamental Poultry range

Barastoc has developed these innovative feeding programmes for Meat, Game and Ornamental Poultry with health, performance and practicality in mind.

Comparing protein content is not an accurate way to differentiate between feeds. Carefully prepared diets take into account requirements for energy, minerals and amino acids (ie. sub-units of protein). To permit the birds to eat and digest feed, our nutritionists have taken great care to match feed size and ingredients to suit anatomy and digestive physiology of each species and stage of development.

Attention to detail has been applied to every aspect of ingredient selection, nutritional balance and feed presentation. In fact, we've taken care of the details to make using this innovative range simple for you.

Turkey

Barastoc's turkey feeding programme is designed to deliver health and performance with maximum simplicity.

The programme is suited to a wide range of turkeys including traditional pure-breeds and commercial hybrids such as the Nicholas. Particular attention has applied to selection of appropriate feed size at all stages.


For best results, it is important to offer your flock the complete Barastoc turkey feeding programme. Turkeys require a high plane of nutrition, particularly during the first four weeks to get them off to a great start. To help prevent coccidiosis (a parasite) we have selected the premium anti-coccidial product, Avatec for standard inclusion in diets offered up to around eight weeks post hatch.

Whilst the requirement for protein and amino acids declines during the grower stage, energy requirement remains high. Finisher and Breeder diets are designed to finish large turkeys, prepare breeders and support breeding by providing dietary balance without oversupplying nutrients.

The diets are complete, however, your flock can be given access to pasture provided this does not replace intake of Barastoc feed to the detriment of dietary balance. Ensure continuous access to feed and sufficient feeding space for all turkeys to eat at the same time. The only case for limiting the allocation of feed is for very heavy breeds at maturity. Clean water must be available to all birds at all times.

When feeding advanced genotypes such as the Nicholas it is important to be guided by body weight targets rather than age. Do not skip diets in the feeding programme. However, it is appropriate to advance to the next diet in the programme if body weight-for-age exceeds the standard weight guidelines provided by your hatchery.

Please see your poultry supplier for information on turkey management.



Meat Chicken

Meat chickens are sometimes referred to as “broilers”. Barastoc’s feeding programme for meat chickens is designed to deliver health and performance with maximum simplicity. Particular attention has been taken in selecting appropriate feed size at all stages.

This programme is suited to a wide range of traditional pure-breeds including meat and multi-purpose breeds as well as commercial hybrid broilers: Cobb, Ross and Arbor Acre.


For best results, it is important to offer your flock the complete Barastoc meat chicken feeding programme. A high plane of nutrition is required to support growth and breast meat deposition. To help prevent coccidiosis (a parasite) we have selected the premium anti-coccidial product, Avatec for standard inclusion in diets offered up to around four weeks post hatch.

During the grower stage, the requirement for protein and amino acids declines. Depending on genetic potential and conditions, the flock may reach target body weight early in the Finisher stage. However, some breeds and individuals may require several more weeks of feeding. Finisher and Breeder diets are suitable for preparation of breeders and to support breeding by providing dietary balance without oversupplying nutrients.

The diets are complete, however, your flock can be given access to pasture provided this does not replace intake of Barastoc feed to the detriment of dietary balance. Whole of life, ensure continuous access to feed, and sufficient feeding space for all chickens in the flock to eat at the same time. Clean water must be available to all birds at all times.

When feeding advanced genotypes such as the Cobb, Ross and Arbor Acre it is important to be guided by body weight targets rather than age. Do not skip diets in the feeding programme. However, it is appropriate to advance to the next diet in the programme if body weight-for-age exceeds the standard weight guidelines provided by your hatchery.

Please see the Barastoc Chook Book for useful information about management of laying chickens. Meat chickens do, however, have special management requirements. Please see your hatchery for more information.



Duck and Goose

At last – a simple solution to feeding waterfowl!


Many species, sub-species, breeds and strains of birds populate this category. Despite their differences, they have many shared needs that set them apart from chickens and other species of birds. For example, in comparison to chickens:

- **Water fowl do not deposit breast meat to the same extent.**
- **Their water intake relative to feed intake is much greater.**
- **Some characteristics of their digestive processes differ.**
- **Feed texture is especially important because waterfowl have bills not beaks.**
- **Anti-coccidials are not registered for in-feed application in ducks.**

Barastoc expertise and technology combines to produce a feeding programme with these special needs in mind.

Depending on genetic potential and conditions, the flock may reach target body weight early in the Finisher phase. However, some breeds and individuals may require several more weeks of feeding. Finisher and Breeder diets are suitable for preparation of breeders and to support breeding by providing dietary balance without oversupplying nutrients.

For advice on management of your flock, please see your poultry supplier.






Quail, Pheasant, Peafowl and Guinea Fowl

Many species, sub-species, breeds and strains of birds populate this category. Whilst the Barastoc diets prepared for these species are the same, the feeding programmes are designed to cater for their differing developmental stages.

Depending on genetic potential and conditions, the flock may reach target body weight early in the Finisher stage. However, some breeds and individuals may require several more weeks of feeding. Finisher and Breeder diets are suitable for preparation of breeders and to support breeding by providing dietary balance without oversupplying nutrients.

Anti-coccidial medications are not registered for in-feed application in these species.

For advice on management of your flock, please see your poultry supplier.



COMPLETE FEED FOR:

- starting very young Turkeys from hatching to 4 weeks of age.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed - do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.


Ensure that birds have access to clean, fresh water at all times.

Hatchlings can be encouraged to start eating feed by scattering feed on newspaper placed around feeders.

Care for young stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	28%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	5%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	1.3%



BARASTOC

TURKEY PRE-STARTER



KEY FEATURES:

- Complete and nutritionally balanced to support growth and health of very young poult.
- Suited to a wide range of Turkey breeds.
- Suited to birds being reared for; the table; replacement of breeding stock; or to be kept as ornamental birds.
- Feed is pelleted and then crumbled to a small size suitable for hatchlings.
- Contains anti-coccidial for the prevention and control of coccidiosis caused by *Eimeria* sp.

BARASTOC**TURKEY AND MEAT CHICKEN STARTER****KEY FEATURES:**

- Complete and nutritionally balanced to support growth and health of young poults and meat chickens.
- Suited to a wide range of turkey and meat chicken breeds.
- Suited to birds being reared for: the table; replacement of breeding stock; or being kept as ornamental birds.
- Feed is pelletised and then crumbled to a small size suitable for hatchlings.
- Contains anti-coccidial to aid in the prevention of caecal and intestinal coccidiosis.

COMPLETE FEED FOR:

- starting turkeys from 4 to 8 weeks of age.
- meat chickens from hatching to 2 weeks of age.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

Hatchlings can be encouraged to start eating feed by scattering feed on newspaper placed around feeders.

Care for young stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	22.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	5.0%
Salt (maximum added)	0.3%
Copper (added)	8.0mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	1.0%

**BARASTOC****TURKEY AND MEAT CHICKEN GROWER****KEY FEATURES:**

- Complete and nutritionally balanced to support growth and health of young poults and meat chickens.
- Suited to a wide range of turkey and meat chicken breeds.
- Suited to birds being reared for: the table; replacement of breeding stock; or being kept as ornamental birds.
- Feed is pelletised and then crumbled to a suitable size.
- Contains anti-coccidial to aid in the prevention of caecal and intestinal coccidiosis.

COMPLETE FEED FOR:

- growing turkeys from 8 to 12 weeks of age.
- meat chickens from 2 to 4 weeks of age.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed Consumption.



Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

Care for growing stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	20.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	0.95%



BARASTOC

POULTRY FINISHER



KEY FEATURES:

- Complete and nutritionally balanced to support growth and health of young birds.
- Suited to a wide range of turkey, meat chicken, duck and geese breeds.
- Suited to birds being reared for the table; replacement of breeding stock; or being kept as ornamental birds.
- Feed is pelleted to a suitable size.

COMPLETE FEED FOR finishing turkeys from 12 weeks of age to market weight or maturity, and meat chickens from 4 weeks of age to market weight or maturity. Complete growing and finishing feed for ducks and geese from 4 weeks of age to market weight or maturity.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.


Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

Care for growing stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	18.5%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	8.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	0.9%



BARASTOC

POULTRY BREEDER



KEY FEATURES:

- Complete and nutritionally balanced to support health, egg production, fertility and hatchability of mature birds.
- Suited to a wide range of turkey, meat chicken, duck, geese and layer-type chicken breeds.
- Suited to birds being kept for breeding, or being kept as ornamental birds.
- Feed is pelleted to a suitable size.

COMPLETE FEED FOR breeding turkeys from maturity onwards, and meat chickens, ducks, geese and layer-type chicken breeds from the onset of lay.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.


Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

Access to green scraps, pasture and good quality hay is not discouraged, however, avoid excessive dilution of this feed.

ANALYSIS (AS-FED)

Crude Protein (minimum)	16.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	6.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	3.5%



BARASTOC

GAME BIRD STARTER



KEY FEATURES:

- Complete and nutritionally balanced to support growth and health of young birds.
- Suited to a wide range of quail, pheasant, peafowl and guinea fowl breeds.
- Suited to birds being reared for: the table; replacement of breeding stock; or being kept as ornamental birds.
- Feed is pelletised and then crumbled to a small size suitable for hatchlings.

(NOTE: currently available in Victoria and South Australia).

COMPLETE FEED FOR starting quail from hatching to 6 weeks of age, pheasant and peafowl from hatching to 5 weeks of age, and guinea fowl from hatching to 4 weeks of age.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.


Ensure that birds have access to clean, fresh water at all times.

Hatchlings can be encouraged to start eating feed by scattering feed on newspaper placed around feeders.

Care for young stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	28.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	5.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	1.3%



BARASTOC

GAME BIRD GROWER



KEY FEATURES:

- Complete and nutritionally balanced to support growth and health of young birds.
- Suited to a wide range of pheasant, peafowl, guinea fowl, duck and geese breeds.
- Suited to birds being reared for: the table; replacement of breeding stock; or being kept as ornamental birds.
- Feed is pelletised and then crumbled to a suitable size.

(NOTE: currently available in Victoria and South Australia).

COMPLETE FEED FOR growing pheasant and peafowl from 5 to 11 weeks of age, and guinea fowl from 4 to 10 weeks of age.
COMPLETE FEED FOR starting ducks and geese from hatching to 4 weeks of age.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.


Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

Care for growing stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	22.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	5.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	1.0%



BARASTOC**GAME BIRD FINISHER****KEY FEATURES:**

- Complete and nutritionally balanced to support growth and health of young birds.
- Suited to a wide range of quail, pheasant, peafowl and guinea fowl breeds.
- Suited to birds being reared for: the table; replacement of breeding stock; or being kept as ornamental birds.
- Feed is pelletised and then crumbled to a suitable size.

COMPLETE FEED FOR:

- quail from 6 weeks of age to market weight or maturity.
- pheasant and peafowl from 11 weeks of age to market weight or maturity.
- guinea fowl from 10 weeks of age to market weight or maturity.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

Care for growing stock according to the instructions of your livestock supplier.

ANALYSIS (AS-FED)

Crude Protein (minimum)	18.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	8.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	0.95%

**BARASTOC****GAME BIRD BREEDER****KEY FEATURES:**

- Complete and nutritionally balanced to support health, reproduction and maintenance of mature birds.
- Suited to a wide range of quail, pheasant, peafowl and guinea fowl breeds.
- Suited to birds being kept for breeding, or being kept as ornamental birds.
- Feed is pelletised and then crumbled to a suitable size.

COMPLETE FEED FOR breeding quail, pheasant, peafowl and guinea fowl from maturity onwards.

FEEDING DIRECTIONS

Ensure that birds have continuous access to feed – do not restrict feed consumption.

Self-feeders designed for poultry are a good way to ensure feed is continuously available.

Ensure that birds have access to clean, fresh water at all times.

ANALYSIS (AS-FED)

Crude Protein (minimum)	18.0%
Crude Fat (minimum)	2.5%
Crude Fibre (maximum)	8.0%
Salt (maximum added)	0.3%
Copper (added)	8mg/kg
Selenium (added)	0.3mg/kg
Calcium (minimum)	3.0%

