

BARASTOC

BEEF FEED

BUILT FOR BEEF

BARASTOC[®] BEEF FINISHER MEAL

A rolled grain ration for lot feeding cattle weighing greater than 300kg liveweight.



OPTIMAL GROWTH



BALANCED NUTRITION



RUMEN BUFFER INCLUDED

OVERVIEW

- + Palatable ration presented as rolled grains
- + Balanced levels of protein and energy to support weight gain
- + Balanced levels of calcium, phosphorus, trace minerals and vitamins
- + Rumen buffer included to help reduce the risk of acidosis
- + Contains 25mg/kg Monensin to improve weight gain and feed efficiency

FEEDING GUIDE

Barastoc Beef Finisher Meal is suitable for lot feeding cattle weighing greater than 300kg liveweight. Cattle weighing less than 300kg liveweight should be fed **Barastoc Beef Weaner** until they reach this weight.

Before starting to feed **Barastoc Beef Finisher Meal**, ensure that the appropriate animal husbandry procedures are completed - consult a veterinarian for advice. Cattle should be drafted into groups of similar size and age.

Before starting to feed **Barastoc Beef Finisher Meal**, ensure that all cattle have been fed with palatable hay to appetite for the first day.

Start feeding cattle with meal at a rate of 0.5% liveweight per day. Gradually increase the rate of feeding each day for the next 21 days up to 2% liveweight per day.

Ensure that a palatable roughage source such as dry pasture and/or palatable hay or quality straw is always fed to appetite. Cattle must have access to a roughage source at all times.

Barastoc Beef Finisher Meal can be fed in self-feeders (allow 15-35cm trough space per head) and ensure slides are set to regulate feed intake and cattle need to lick feed out from under the slide. Alternatively, it can be fed in troughs (allow 30-60cm trough space per head) depending on liveweight.

BROUGHT TO YOU BY



LEADING ANIMAL NUTRITION

TYPICAL ANALYSIS

Elements/Nutrients/ Vitamins	As Fed	Dry Matter At 89%
Total Crude Protein and Equivalent Crude Protein (Min.)	12.0%	13.5%
Crude Protein (Min.)	9.7%	10.9%
Equivalent Crude Protein (Max.)	2.3%	2.6%
Urea (Max.)	0.8%	0.9%
Crude Fat (Min.)	1.5%	1.7%
Crude Fibre (Max.)	10.0%	11.3%
Salt (Max. Added)	0.5%	0.6%
Metabolisable Energy (ME) Ruminant (Min.)	11.3MJ	12.7MJ
Calcium (Min.)	0.65%	0.73%
Phosphorus (Min.)	0.25%	0.28%
Magnesium (Min.)	0.25%	0.28%
Sulphur (Min.)	0.15%	0.17%
Copper (Added)	10.00mg/kg	11.25mg/kg
Selenium (Added)	0.10mg/kg	0.11mg/kg
Zinc (Added)	40.00mg/kg	45.00mg/kg
Manganese (Added)	30.00mg/kg	33.70mg/kg
Molybdenum (Added)	0.30mg/kg	0.34mg/kg
Cobalt (Added)	0.15mg/kg	0.17mg/kg
Iodine (Added)	0.30mg/kg	0.34mg/kg
Vitamin A (Added)	3500IU/kg	3933IU/kg
Vitamin D3 (Added)	350IU/kg	393IU/kg
Vitamin E (Added)	30.00mg/kg	33.70mg/kg
Monensin	25.0mg/kg	28.0mg/kg

WARNINGS

Medicated animal foodstuff - for animal treatment only. Use strictly as directed and keep out of reach of children.

Do not allow dogs, horses or other equines access to this feed. Ingestion of Monensin may be fatal in these species.

Withholding period: **Meat** - Nil

This feed has been formulated specifically for animals as described, and must not be used for other species of animals.

This feed is unsuitable for human consumption.

The manufacturer accepts no responsibility if this feed is used in quantities, conditions or in any way other than in accordance with the manufacturer's recommendations.

This product does not contain restricted animal material.

STORAGE REQUIREMENTS

Store under cover in a cool, dry place below 30°C and protected from exposure to direct sunlight.

AVAILABILITY

Bulk	101868
Bulka Bag	101870
Bulka Bag - 500kg	401416



PROUDLY MADE
IN AUSTRALIA.

BROUGHT TO YOU BY



LEADING ANIMAL NUTRITION

www.ridley.com.au

For further advice on feeding **Barastoc Beef Finisher Meal**

Please contact your Ridley representative or call the Ridley Customer Service Centre on 1300 666 657

All rights reserved, © 2024,2025. Barastoc is a registered trademark of Ridley Agriproducts Pty Ltd.